

Anställning

Docent

Internmedicin - epidemiologi
Lunds universitet
Malmö, Sverige
2015 sep 21 → present

Docent

EpiHealth: Epidemiology for Health
Lunds universitet
Malmö, Sverige
2010 jan 1 → present

Enhetschef

2001 mar 1 → present

Forskningsoutput

Comparison of risk factors for ischemic stroke and coronary events in a population-based cohort

Muhammad, I. F., Borné, Y., Zaigham, S., Söderholm, M., Johnson, L., hospital, S., Melander, O. & Engström, G., 2021 nov 12, I: BMC Cardiovascular Disorders. 21, 1, 536.

Prevalence of Subclinical Coronary Artery Atherosclerosis in the General Population

Bergström, G., Persson, M., Adiels, M., Björnson, E., Bonander, C., Ahlström, H., Alfredsson, J., Angerås, O., Berglund, G., Blomberg, A., Brandberg, J., Börjesson, M., Cederlund, K., de Faire, U., Duvernoy, O., Ekblom, Ö., Engström, G., Engvall, J. E., Fagman, E., Eriksson, M. & 27 andra, Erlinge, D., Fagerberg, B., Flinck, A., Gonçalves, I., Hagström, E., Hjelmgren, O., Lind, L., Lindberg, E., Lindqvist, P., Ljungberg, J., Magnusson, M., Mannila, M., Markstad, H., Mohammad, M. A., Nystrom, F. H., Ostfeld, E., Persson, A., Rosengren, A., Sandström, A., Själander, A., Sköld, M. C., Sundström, J., Swahn, E., Söderberg, S., Torén, K., Östgren, C. J. & Jernberg, T., 2021 sep 21, I: Circulation. 144, 12, s. 916-929

Cadmium exposure and coronary artery atherosclerosis: A cross-sectional population-based study of Swedish middle-aged adults

Barregard, L., Sallsten, G., Harari, F., Andersson, E. M., Forsgard, N., Hjelmgren, O., Angerås, O., Fagman, E., Persson, M., Lundh, T., Borné, Y., Fagerberg, B., Engström, G. & Bergström, G., 2021 jun 1, I: Environmental Health Perspectives. 129, 6, 067007.

Circulating levels of growth hormone in postural orthostatic tachycardia syndrome

Johansson, M., Ricci, F., Schulte, J., Persson, M., Melander, O., Sutton, R., Hamrefors, V. & Fedorowski, A., 2021 apr 21, I: Scientific Reports. 11, 8575.

Systematic Coronary Risk Evaluation estimated risk and prevalent subclinical atherosclerosis in coronary and carotid arteries: A population-based cohort analysis from the Swedish Cardiopulmonary Bioimage Study

Östgren, C. J., Söderberg, S., Festin, K., Angerås, O., Bergström, G., Blomberg, A., Brandberg, J., Cederlund, K., Eliasson, M., Engström, G., Erlinge, D., Fagman, E., Hagström, E., Lind, L., Mannila, M., Nilsson, U., Oldgren, J., Ostfeld, E., Persson, A., Persson, J. & 6 andra, Persson, M., Rosengren, A., Sundström, J., Swahn, E., Engvall, J. E. & Jernberg, T., 2021 mar 1, I: European Journal of Preventive Cardiology. 28, 3, s. 250-259 10 s.

Comparisons of Risk Factors for Abdominal Aortic Aneurysm and Coronary Heart Disease: A Prospective Cohort Study

Xiao, J., Borné, Y., Bao, X., Persson, M., Gottsäter, A., Acosta, S. & Engström, G., 2021 jan 1, I: Angiology. 72, 1, s. 24-31 8 s.

Glucose-Dependent Insulinotropic Peptide in the High-Normal Range Is Associated With Increased Carotid Intima-Media Thickness

Jujić, A., Nilsson, P. M., Atabaki-Pasdar, N., Dieden, A., Tuomi, T., Franks, P. W., Holst, J. J., Torekov, S. S., Ravassa, S., Díez, J., Persson, M., Ahlqvist, E., Melander, O., Gomez, M. F., Groop, L. & Magnusson, M., 2021 jan, I: Diabetes Care. 44, 1, s. 224-230 7 s.

Aortic Stiffness, Inflammation, and Incidence of Cardiovascular Events in Elderly Participants From the General Population
Nilsson Wadström, B., Persson, M., Engström, G. & Nilsson, P. M., 2021, (E-pub ahead of print) *I: Angiology*.

Carotid-Femoral Pulse Transit Time Variability Predicted Mortality and Improved Risk Stratification in the Elderly
An, D-W., Muhammad, I. F., Li, M-X., Borné, Y., Sheng, C-S., Persson, M., Cai, R-Z., Guo, Q-H., Wang, J-G., Engström, G., Li, Y. & Nilsson, P. M., 2021, *I: Hypertension*. 78, 5, s. 1287-1295

Copeptin as a marker of atherosclerosis and arteriosclerosis
Schill, F., Persson, M., Engström, G., Melander, O. & Enhörning, S., 2021, *I: Atherosclerosis*. 338, s. 64-68

Surveillance of indeterminate pulmonary nodules detected with CT in a Swedish population-based study (SCAPIS): psychosocial consequences and impact on health-related quality of life-a multicentre prospective cross-sectional study
Andersson, E., Dai Ydrefelt, Y., Johannesson, M., Lundbäck, M., Mannila, M., Persson, M., Swahn, E. & Bolejko, A., 2021, *I: BMJ Open*. 11, 9, e048721.

The association between carotid-femoral pulse-wave velocity and lung function in the Swedish CARDioPulmonary bioImage study (SCAPIS) cohort
Zaigham, S., Östgren, C-J., Persson, M., Muhammad, I. F., Nilsson, P. M., Wollmer, P., Engvall, J. & Engström, G., 2021, *I: Respiratory Medicine*. 185, 106504.

The associations between red cell distribution width and lung function measures in a general population
Pan, J., Zaigham, S., Persson, M., Borné, Y., Wollmer, P. & Engström, G., 2021, *I: Respiratory Medicine*. 185, 106467.

The Malmö Offspring Study (MOS): design, methods and first results
Brunkwall, L., Jönsson, D., Ericson, U., Hellstrand, S., Kennbäck, C., Östling, G., Jujic, A., Melander, O., Engström, G., Nilsson, J., Ohlsson, B., Klinge, B., Orho-Melander, M., Persson, M. & Nilsson, P. M., 2021, *I: European Journal of Epidemiology*. 36, 1, s. 103-116

Identification of the major rabbit and guinea pig semen coagulum proteins and description of the diversity of the REST gene locus in the mammalian clade Glires
Lundwall, Å., Persson, M., Hansson, K. & Jonsson, M., 2020 okt, *I: PLoS ONE*. 15, 10 October, e0240607.

Glucose-dependent insulinotropic peptide and risk of cardiovascular events and mortality: a prospective study
Jujic, A., Atabaki-Pasdar, N., Nilsson, P. M., Almgren, P., Hakaste, L., Tuomi, T., Berglund, L. M., Franks, P. W., Holst, J. J., Prasad, R. B., Torekov, S. S., Ravassa, S., Díez, J., Persson, M., Melander, O., Gomez, M. F., Groop, L., Ahlqvist, E. & Magnusson, M., 2020 maj, *I: Diabetologia*. 63, 5, s. 1043-1054 12 s.

Gamma-glutamyltransferase, arterial remodeling and prehypertension in a healthy population at low cardiometabolic risk
Kozakova, M., Gastaldelli, A., Morizzo, C., Højlund, K., Nilsson, P. M., Ferrannini, E., Nilssone, P., Persson, M., Östling, G., Melander, O., Burri, P., Palombo, C. & RISC Investigators, 2020 apr 29, *I: Journal of Human Hypertension*.

Measures of lung function and their relationship with advanced glycation end-products
Zaigham, S., Persson, M., Jujic, A., Frantz, S., Borné, Y., Malinovsky, A., Wollmer, P. & Engström, G., 2020 apr, *I: ERJ Open Research*. 6, 2, 00356-2019.

Weight gain and blood pressure
Sundström, J., Lind, L., Lampa, E., Angerås, O., Bachus, E., Bergström, G., Carlberg, B., Engström, G., Engvall, J. E., Eriksson, M., Gigante, B., Hagström, E., Hjelmgren, O., Jansson, J-H., Jernberg, T., Mannila, M., Nyström, F. H., Oldgren, J., Persson, M., Sandström, A. & 5 andra, Swahn, E., Söderberg, S., Torén, K., Östgren, C. J. & Rosengren, A., 2020 mar, *I: Journal of Hypertension*. 38, 3, s. 387-394 8 s.

Heart rate and premature atrial contractions at 24hECG independently predict atrial fibrillation in a population-based study
Persson, A. P., Fedorowski, A., Hedblad, B., Persson, M., Juul-Möller, S., Engström, G. & Johnson, L. S. B., 2020 feb, *I: Heart*. 106, 4, s. 287-291 5 s.

Blood cadmium concentration and risk of subarachnoid haemorrhage

Söderholm, M., Borné, Y., Hedblad, B., Persson, M., Barregard, L. & Engström, G., 2020 jan, I: Environmental Research. 180, s. 108826

Serum Activity Against G Protein-Coupled Receptors and Severity of Orthostatic Symptoms in Postural Orthostatic Tachycardia Syndrome

Kharraziha, I., Axelsson, J., Ricci, F., Di Martino, G., Persson, M., Sutton, R., Fedorowski, A. & Hamrefors, V., 2020, I: Journal of the American Heart Association. 9, 15, e015989.

The Swedish SPinal Cord Injury Study on Cardiopulmonary and Autonomic Impairment (SPICA): Methodology, Cohort Demographics and Initial Results

Hill, M., Jörgensen, S., Engström, G., Persson, M. & Lexell, J., 2020, I: American Journal of Physical Medicine and Rehabilitation. 99, 6, s. 522-531

Water Supplementation Reduces Copeptin and Plasma Glucose in Adults With High Copeptin: The H2O Metabolism Pilot Study

Enhörning, S., Brunkwall, L., Tasevska, I., Ericson, U., Persson Tholin, J., Persson, M., Lemetais, G., Vanhaecke, T., Dolci, A., Perrier, E. T. & Melander, O., 2019 jun 1, I: The Journal of clinical endocrinology and metabolism. 104, 6, s. 1917-1925 9 s.

Biomarkers of blood cadmium and incidence of cardiovascular events in non-smokers: Results from a population-based proteomics study

Borné, Y., Fagerberg, B., Sallsten, G., Hedblad, B., Persson, M., Melander, O., Nilsson, J., Orho-Melander, M., Barregard, L. & Engström, G., 2019 maj 15, I: Clinical Proteomics. 16, 1, 21.

Lp-PLA₂ activity and mass and CRP are associated with incident symptomatic peripheral arterial disease

Fatemi, S., Gottsäter, A., Zarrouk, M., Engström, G., Melander, O., Persson, M. & Acosta, S., 2019 apr 4, I: Scientific Reports. 9, 1, 5609.

Complement C3 and incident hospitalization due to chronic kidney disease: a population-based cohort study

Bao, X., Borné, Y., Muhammad, I. F., Schulz, C. A., Persson, M., Orho-Melander, M., Niu, K., Christensson, A. & Engström, G., 2019 feb 21, I: BMC Nephrology. 20, 61.

Metformin is the key factor in elevated plasma growth differentiation factor-15 levels in type 2 diabetes: A nested, case-control study

Natali, A., Nesti, L., Venturi, E., Shore, A. C., Khan, F., Gooding, K., Gates, P. E., Looker, H. C., Dove, F., Goncalves, I., Persson, M., Nilsson, J. & The SUMMIT consortium, 2019 feb, I: Diabetes, Obesity and Metabolism. 21, 2, s. 412-416

Difference in the risk profiles of carotid-femoral pulse wave velocity: results from two community-based studies in China and Sweden

Guo, Q. H., Muhammad, I. F., Borné, Y., Sheng, C. S., Persson, M., Wang, J. G., Engström, G., Li, Y. & Nilsson, P. M., 2019 jan 15, I: Journal of Human Hypertension.

Effects of hydration on plasma copeptin, glycemia and gluco-regulatory hormones: a water intervention in humans

Enhörning, S., Tasevska, I., Roussel, R., Bouby, N., Persson, M., Burri, P., Bankir, L. & Melander, O., 2019, I: European Journal of Nutrition. 58, 1, s. 315-324 10 s.

Elevated circulating effector memory T cells but similar levels of regulatory T cells in patients with type 2 diabetes mellitus and cardiovascular disease

Rattik, S., Engelbertsen, D., Wigren, M., Ljungcrantz, I., Östling, G., Persson, M., Nordin Fredrikson, G., Bengtsson, E., Nilsson, J. & Björkbacka, H., 2019, I: Diabetes and Vascular Disease Research. 16, 3, s. 270-280

Midregional proadrenomedullin predicts reduced blood pressure and glucose elevation over time despite enhanced progression of obesity markers

Ohlsson, T., Nilsson, P. M., Persson, M. & Melander, O., 2019, I: Journal of Hypertension. 37, 3, s. 590-595 6 s.

Skin autofluorescence as a measure of advanced glycation end product levels is associated with carotid atherosclerotic plaque burden in an elderly population

Jujić, A., Östling, G., Persson, M., Engström, G., Nilsson, P. M., Melander, O. & Magnusson, M., 2019, I: Diabetes & Vascular Disease Research. 16, 5, s. 466-473

Use of Vascular Assessments and Novel Biomarkers to Predict Cardiovascular Events in Type 2 Diabetes: The SUMMIT VIP Study

Shore, A. C., Colhoun, H. M., Natali, A., Palombo, C., Khan, F., Östling, G., Aizawa, K., Kennbäck, C., Casanova, F., Persson, M., Gooding, K., Gates, P. E., Looker, H., Dove, F., Belch, J., Pinnola, S., Venturi, E., Kozakova, M., Goncalves, I., Kravic, J. & 3 andra, Björkbacka, H., Nilsson, J. & SUMMIT Consortium, 2018 okt, I: Diabetes Care. 41, 10, s. 2212-2219 8 s.

Effects on the glucagon response to hypoglycaemia during DPP-4 inhibition in elderly subjects with type 2 diabetes: A randomized, placebo-controlled study

Farngren, J., Persson, M. & Ahrén, B., 2018 aug, I: Diabetes, Obesity and Metabolism. 20, 8, s. 1911-1920

Different glucagon effects during DPP-4 inhibition versus SGLT-2 inhibition in metformin-treated type 2 diabetes patients

Alsalam, W., Persson, M. & Ahrén, B., 2018 jul, I: Diabetes, Obesity and Metabolism. 20, 7, s. 1652-1658

Comparing the inflammatory profiles for incidence of diabetes mellitus and cardiovascular diseases: A prospective study exploring the 'common soil' hypothesis

Bao, X., Borné, Y., Johnson, L., Muhammad, I. F., Persson, M., Niu, K. & Engström, G., 2018 jun 12, I: Cardiovascular Diabetology. 17, 1, 87.

Arterial stiffness and incidence of diabetes: A population-based cohort study

Muhammad, I. F., Borné, Y., Östling, G., Kennbäck, C., Gottsäter, M., Persson, M., Nilsson, P. M. & Engström, G., 2017 dec 1, I: Diabetes Care. 40, 12, s. 1739-1745 7 s.

Cadmium, carotid atherosclerosis, and incidence of ischemic stroke

Borné, Y., Fagerberg, B., Persson, M., Östling, G., Söderholm, M., Hedblad, B., Sallsten, G., Barregard, L. & Engström, G., 2017 dec 1, I: Journal of the American Heart Association. 6, 12, e006415.

Genetic determinants of growth hormone and GH-related phenotypes

Hallengren, E., Almgren, P., Svensson, M., Gallo, W., Engström, G., Persson, M. & Melander, O., 2017 okt 24, I: BMC Genomics. 18, s. 1-9 822.

Eosinophil Cationic Protein, Carotid Plaque, and Incidence of Stroke

Sundström, J., Söderholm, M., Borné, Y., Nilsson, J., Persson, M., Östling, G., Melander, O., Orho-Melander, M. & Engström, G., 2017 okt 1, I: Stroke. 48, 10, s. 2686-2692 7 s.

Acute phase proteins as prospective risk markers for arterial stiffness: The Malmö Diet and Cancer cohort

Muhammad, I. F., Borné, Y., Östling, G., Kennbäck, C., Gottsäter, M., Persson, M., Nilsson, P. M. & Engström, G., 2017 jul 1, I: PLoS ONE. 12, 7, e0181718.

Lp-PLA₂ activity and mass for prediction of incident abdominal aortic aneurysms: A prospective longitudinal cohort study

Acosta, S., Taimour, S., Gottsäter, A., Persson, M., Engström, G., Melander, O., Zarrouk, M., Nilsson, P. M. & Smith, J. G., 2017 jul 1, I: Atherosclerosis. 262, s. 14-18

Circulating cadmium concentration and risk of aortic aneurysms: A nested case-control study within the Malmö Diet and Cancer cohort

Fagerberg, B., Borné, Y., Sallsten, G., Smith, G., Acosta, S., Persson, M., Melander, O., Forsgard, N., Gottsäter, A., Hedblad, B., Barregard, L. & Engström, G., 2017 jun 1, I: Atherosclerosis. 261, s. 37-43 7 s.

Fasting levels of growth hormone are associated with carotid intima media thickness but are not affected by fluvastatin treatment

Hallengren, E., Almgren, P., Rosvall, M., Östling, G., Persson, M., Bergmann, A., Struck, J., Engström, G., Hedblad, B. & Melander, O., 2017 maj 16, I: BMC Cardiovascular Disorders. 17, 1, 125.

Soluble Urokinase-type Plasminogen Activator Receptor (suPAR) and Impaired Kidney Function in the Population-based Malmö Diet and Cancer Study

Schulz, C-A., Persson, M., Christensson, A., Hindy, G., Almgren, P., Nilsson, P. M., Melander, O., Engström, G. & Orho-Melander, M., 2017 mar, I: Kidney International Reports. 2, 2, s. 239-247 9 s.

Cadmium exposure is associated with soluble urokinase plasminogen activator receptor, a circulating marker of inflammation and future cardiovascular disease

Fagerberg, B., Borné, Y., Barregard, L., Sallsten, G., Forsgard, N., Hedblad, B., Persson, M. & Engström, G., 2017 jan 1, I: Environmental Research. 152, s. 185-191 7 s.

Association between renin and atherosclerotic burden in subjects with and without type 2 diabetes

Gonçalves, I., Edsfeldt, A., Colhoun, H. M., Shore, A. C., Palombo, C., Natali, A., Fredrikson, G. N., Björkbacka, H., Wigren, M., Bengtsson, E., Östling, G., Aizawa, K., Casanova, F., Persson, M., Gooding, K., Gates, P., Khan, F., Looker, H. C., Adams, F., Belch, J. & 6 andra, Pinnola, S., Venturi, E., Kozakova, M., Gan, L. M., Schneck, V. & Nilsson, J., 2016 sep 5, I: BMC Cardiovascular Disorders. 16, 1, s. 1-10 10 s., 171.

Plasma variation and reproducibility of oxidized LDL-cholesterol and low-grade inflammation biomarkers among participants of the Malmö Diet and Cancer cohort

Alves Dias, J., Hellstrand, S., Ericson, U., Gullberg, B., Nilsson, J., Alm, R., Persson, M., Engström, G., Nordin Fredrikson, G., Hedblad, B. & Wirfält, E., 2016 aug 17, I: Biomarkers. 21, 6, s. 562-571

Orosomucoïd, carotid plaque, and incidence of stroke

Berntsson, J., Östling, G., Persson, M., Smith, J. G., Hedblad, B. & Engström, G., 2016 jul 1, I: Stroke: a journal of cerebral circulation. 47, 7, s. 1858-1863 6 s.

Increased Levels of Copeptin, a Surrogate Marker of Arginine Vasopressin, Are Associated with an Increased Risk of Chronic Kidney Disease in a General Population

Tasevska, I., Enhörning, S., Christensson, A., Persson, M., Nilsson, P. M. & Melander, O., 2016 jul, I: American Journal of Nephrology. 44, 1, s. 22-28 7 s.

Genome wide association study identifies two loci associated with cadmium in erythrocytes among never-smokers

Borné, Y., Söderholm, M., Barregard, L., Fagerberg, B., Persson, M., Melander, O., Thévenod, F., Hedblad, B. & Engström, G., 2016 jun 22, I: Human Molecular Genetics. 25, 11, s. 2342-2348

Diet quality and change in blood lipids during 16 years of follow-up and their interaction with genetic risk for dyslipidemia

Sonestedt, E., Hellstrand, S., Drake, I., Schulz, C. A., Ericson, U., Hlebowicz, J., Persson, M. M., Gullberg, B., Hedblad, B., Engström, G. & Orho-Melander, M., 2016 maj 9, I: Nutrients. 8, 5, 274.

Cystatin C and risk of diabetes and the metabolic syndrome - Biomarker and genotype association analyses

Magnusson, M., Molvin, J., Engström, G., Svensson, P., Persson, M., Christensson, A., Nilsson, P. & Melander, O., 2016 maj 1, I: PLoS ONE. 11, 5, e0155735.

Acute-phase proteins and incidence of diabetes: a population-based cohort study

Muhammad, I. F., Borné, Y., Hedblad, B., Nilsson, P. M., Persson, M. & Engström, G., 2016, I: Acta Diabetologica. 53, 6, s. 981-989 9 s.

Atrial Natriuretic Peptide in the high normal range is associated with lower prevalence of insulin resistance.

Jujic, A., Nilsson, P., Persson, M., Holst, J. J., Torekov, S. S., Lyssenko, V., Groop, L., Melander, O. & Magnusson, M., 2016, I: The Journal of clinical endocrinology and metabolism. 101, 4, s. 1372-1380

Blood cadmium levels and incident cardiovascular events during follow-up in a population-based cohort of Swedish adults: The malmö diet and cancer study

Barregard, L., Sallsten, G., Fagerberg, B., Borné, Y., Persson, M., Hedblad, B. & Engström, G., 2016, I: Environmental Health Perspectives. 124, 5, s. 594-600 7 s.

Copeptin predicts coronary artery disease cardiovascular and total mortality.

Tasevska, I., Enhörning, S., Persson, M., Nilsson, P. & Melander, O., 2016, I: Heart. 102, 2, s. 127-132

Effect of the GLP-1 Receptor Agonist Lixisenatide on Counter-Regulatory Responses to Hypoglycemia in Subjects With Insulin-Treated Type 2 Diabetes.

Fangren, J., Persson, M. & Ahrén, B., 2016, I: Diabetes Care. 39, 2, s. 242-249

Low Levels of Apolipoprotein B-100 Autoantibodies Are Associated With Increased Risk of Coronary Events.

Björkbacka, H., Alm, R., Persson, M., Hedblad, B., Nilsson, J. & Nordin Fredrikson, G., 2016, I: Arteriosclerosis, Thrombosis and Vascular Biology. 36, s. 765-771

No association between glucose at age 30 and aortic diameter at age 65 in men: a population-based study.

Persson, M., Zarrouk, M., Holst, J., Nilsson, P. & Gottsäter, A., 2016, I: Scandinavian cardiovascular journal : SCJ. 50, 2, s. 119-122

A high quality diet is associated with reduced systemic inflammation in middle-aged individuals.

Alves Dias, J., Wirfält, E., Drake, I., Gullberg, B., Hedblad, B., Persson, M., Engström, G., Nilsson, J., Schiopu, A., Nordin Fredrikson, G. & Björkbacka, H., 2015, I: Atherosclerosis. 238, 1, s. 38-44

Analysis of Low Frequency Protein Truncating Stop-Codon Variants and Fasting Concentration of Growth Hormone.

Hallengren, E., Almgren, P., Engström, G., Persson, M. & Melander, O., 2015, I: PLoS ONE. 10, 6, e0128348.

Cadmium exposure and incidence of heart failure and atrial fibrillation: a population-based prospective cohort study.

Borné, Y., Barregard, L., Persson, M., Hedblad, B., Fagerberg, B. & Engström, G., 2015, I: BMJ Open. 5, 6, s. e007366

Cystatin C Is Not Causally Related to Coronary Artery Disease.

Svensson, P., Almgren, P., Hedblad, B., Engström, G., Persson, M., Christensson, A. & Melander, O., 2015, I: PLoS ONE. 10, 6, e0129269.

Elevated Plasma Levels of MMP-12 Are Associated With Atherosclerotic Burden and Symptomatic Cardiovascular Disease in Subjects With Type 2 Diabetes.

Goncalves, I., Bengtsson, E., Colhoun, H. M., Shore, A. C., Palombo, C., Natali, A., Edsfieldt, A., Dunér, P., Nordin Fredrikson, G., Björkbacka, H., Östling, G., Aizawa, K., Casanova, F., Persson, M., Gooding, K., Strain, D., Kahn, F., Looker, H. C., Adams, F., Belch, J. & 6 andra, Pinnoli, S., Venturi, E., Kozakova, M., Gan, L-M., Schneck, V. & Nilsson, J., 2015, I: Arteriosclerosis, Thrombosis and Vascular Biology. 35, 7, s. 1723-1731

Measures of atherosclerotic burden are associated with clinically manifest cardiovascular disease in type 2 diabetes: a European cross-sectional study

Shore, A. C., Colhoun, H. M., Natali, A., Palombo, C., Östling, G., Aizawa, K., Kennback, C., Casanova, F., Persson, M., Gooding, K., Gates, P. E., Khan, F., Looker, H. C., Adams, F., Belch, J., Pinnoli, S., Venturi, E., Morizzo, C., Goncalves, I., Ladenvall, C. & 1 andra, Nilsson, J., 2015, I: Journal of Internal Medicine. 278, 3, s. 291-302

Non-hemodynamic predictors of arterial stiffness after 17 years of follow-up: the Malmö Diet and Cancer study.

Gottsäter, M., Östling, G., Persson, M., Engström, G., Melander, O. & Nilsson, P., 2015, I: Journal of Hypertension. 33, 5, s. 957-965

Red cell distribution width in relation to incidence of stroke and carotid atherosclerosis: a population-based cohort study.

Söderholm, M., Borné, Y., Hedblad, B., Persson, M. & Engström, G., 2015, I: PLoS ONE. 10, 5, e0124957.

Risk factors for the progression of carotid intima-media thickness over a 16-year follow-up period: The Malmö Diet and Cancer Study.

Rosvall, M., Persson, M., Östling, G., Nilsson, P., Melander, O., Hedblad, B. & Engström, G., 2015, I: *Atherosclerosis*. 239, 2, s. 615-621

Soluble urokinase plasminogen activator receptor and incidence of venous thromboembolism.

Engström, G., Zöller, B., Svensson, P., Melander, O. & Persson, M., 2015, I: *Thrombosis and Haemostasis*. 115, 3, s. 657-662

The effect of smoking on carotid intima-media thickness progression rate and rate of lumen diameter reduction.

Hansen, K., Östling, G., Persson, M., Nilsson, P., Melander, O., Engström, G., Hedblad, B. & Rosvall, M., 2015, I: *European Journal of Internal Medicine*.

The Swedish CARDioPulmonary BioImage Study: objectives and design.

Bergström, G., Berglund, G., Blomberg, A., Brandberg, J., Engström, G., Engvall, J., Eriksson, M., de Faire, U., Flinck, A., Hansson, M. G., Hedblad, B., Hjelmgren, O., Janson, C., Jernberg, T., Johnsson, Å., Johansson, L., Lind, L., Löfdahl, C-G., Melander, O., Östgren, C. J. & 12 andra, Persson, A., Persson, M., Sandström, A., Schmidt, C., Söderberg, S., Sundström, J., Toren, K., Waldenström, A., Wedel, H., Vikgren, J., Fagerberg, B. & Rosengren, A., 2015, I: *Journal of Internal Medicine*. 278, 6, s. 645-659

Cadmium exposure and incidence of diabetes mellitus - results from the malmö diet and cancer study.

Borné, Y., Fagerberg, B., Persson, M., Sallsten, G., Forsgard, N., Hedblad, B., Barregard, L. & Engström, G., 2014, I: *PLoS ONE*. 9, 11, e112277.

Carotid intima-media thickness is associated with incidence of hospitalized atrial fibrillation.

Adamsson Eryd, S., Östling, G., Rosvall, M., Persson, M., Smith, G., Melander, O., Hedblad, B. & Engström, G., 2014, I: *Atherosclerosis*. 233, 2, s. 673-678

Carotid plaque, intima-media thickness, and incident aortic stenosis: a prospective cohort study.

Martinsson, A., Östling, G., Persson, M., Sundquist, K., Andersson, C., Melander, O., Engström, G., Hedblad, B. & Smith, G., 2014, I: *Arteriosclerosis, Thrombosis and Vascular Biology*. 34, 10, s. 2343

Cystatin C identifies cardiovascular risk better than creatinine-based estimates of glomerular filtration in middle-aged individuals without a history of cardiovascular disease.

Svensson, P., Ohlsson Andersson, M., Almgren, P., Hedblad, B., Engström, G., Persson, M., Christensson, A. & Melander, O., 2014, I: *Journal of Internal Medicine*. 275, 5, s. 506-521

Fasting levels of high-sensitivity growth hormone predict cardiovascular morbidity and mortality: the malmö diet and cancer study.

Hallengren, E., Almgren, P., Engström, G., Hedblad, B., Persson, M., Suhr, J., Bergmann, A. & Melander, O., 2014, I: *Journal of the American College of Cardiology*. 64, 14, s. 1452-1460

Glucagon dynamics during hypoglycaemia and food-re-challenge following treatment with vildagliptin in insulin-treated patients with type 2 diabetes.

Farngren, J., Persson, M., Schweizer, A., Foley, J. E. & Ahrén, B., 2014, I: *Diabetes, Obesity and Metabolism*. 16, 9, s. 812-818

Increased carotid plaque burden in men with the fibrillin-1 2/3 genotype

De Basso, R., Hedblad, B., Carlson, J., Persson, M., Östling, G. & Lanne, T., 2014, I: *Clinical and Experimental Pharmacology and Physiology*. 41, 9, s. 637-642

Increased plasma level of soluble urokinase plasminogen activator receptor is associated with incidence of heart failure but not atrial fibrillation.

Borné, Y., Persson, M., Melander, O., Smith, G. & Engström, G., 2014, I: *European Journal of Heart Failure*. 16, 4, s. 377-383

Red cell distribution width, haemoglobin A1c and incidence of diabetes mellitus.

Engström, G., Smith, G., Persson, M., Nilsson, P., Melander, O. & Hedblad, B., 2014, I: Journal of Internal Medicine. 276, 2, s. 174-183

Response to letter to the editor 'Is red cell distribution width a biomarker in risk assessment of diabetes mellitus?'

Engström, G., Smith, G., Persson, M., Nilsson, P., Melander, O. & Hedblad, B., 2014, I: Journal of Internal Medicine. 276, 5, s. 538-538

Response to Letter to the Editor 'Red cell distribution width in patients with atrial fibrillation'

Adamsson Eryd, S., Borné, Y., Melander, O., Persson, M., Smith, G., Hedblad, B. & Engström, G., 2014, I: Journal of Internal Medicine. 275, 5, s. 544-544

Soluble Urokinase Plasminogen Activator Receptor: A Risk Factor for Carotid Plaque, Stroke, and Coronary Artery Disease.

Persson, M., Östling, G., Smith, G., Hamrefors, V., Melander, O., Hedblad, B. & Engström, G., 2014, I: Stroke: a journal of cerebral circulation. 45, 1, s. 18-23

A high diet quality is associated with lower incidence of cardiovascular events in the malmö diet and cancer cohort.

Hlebowicz, J., Drake, I., Gullberg, B., Sonestedt, E., Wallström, P., Persson, M., Nilsson, J., Hedblad, B. & Wirfält, E., 2013, I: PLoS ONE. 8, 8, e71095.

Comparison of grey scale median (GSM) measurement in ultrasound images of human carotid plaques using two different softwares.

Östling, G., Persson, M., Hedblad, B. & Goncalves, I., 2013, I: Clinical Physiology and Functional Imaging. 33, 6, s. 431-435

Diabetes Mellitus and Elevated Copeptin Levels in Middle Age Predict Low Cognitive Speed after Long-Term Follow-Up.

Tufvesson, E., Melander, O., Minthon, L., Persson, M., Nilsson, P., Struck, J. & Nägga, K., 2013, I: Dementia and Geriatric Cognitive Disorders. 35, 1-2, s. 67-76

Dietary fiber and saturated fat intake associations with cardiovascular disease differ by sex in the malmö diet and cancer cohort: a prospective study.

Wallström, P., Sonestedt, E., Hlebowicz, J., Ericson, U., Drake, I., Persson, M., Gullberg, B., Hedblad, B. & Wirfält, E., 2012, I: PLoS ONE. 7, 2, e31637.

Low Levels of Circulating CD4+FoxP3+ T Cells Are Associated With an Increased Risk for Development of Myocardial Infarction But Not for Stroke.

Wigren, M., Björkbacka, H., Andersson, L., Ljungcrantz, I., Nordin Fredrikson, G., Persson, M., Bryngelsson, C., Hedblad, B. & Nilsson, J., 2012, I: Arteriosclerosis, Thrombosis and Vascular Biology. 32, 8, s. 2000-2007

Low Plasma Level of Atrial Natriuretic Peptide Predicts Development of Diabetes: The Prospective Malmo Diet and Cancer Study.

Magnusson, M., Jujic, A., Hedblad, B., Engström, G., Persson, M., Struck, J., Morgenthaler, N. G., Nilsson, P., Newton-Cheh, C., Wang, T. J. & Melander, O., 2012, I: The Journal of clinical endocrinology and metabolism. 97, 2, s. 638-645

Orthostatic blood pressure response, carotid intima-media thickness, and plasma fibrinogen in older nondiabetic adults.

Fedorowski, A., Östling, G., Persson, M., Struck, J., Engström, G., Nilsson, P., Hedblad, B. & Melander, O., 2012, I: Journal of Hypertension. 30, 3, s. 522-529

Scoring models of a diet quality index and the predictive capability of mortality in a population-based cohort of Swedish men and women.

Drake, I., Gullberg, B., Sonestedt, E., Wallström, P., Persson, M., Hlebowicz, J., Nilsson, J., Hedblad, B. & Wirfält, E., 2012, I: Public Health Nutrition. May 29, s. 1-11

Soluble urokinase plasminogen activator receptor in plasma is associated with incidence of CVD. Results from the Malmö Diet and Cancer Study.

Persson, M., Engström, G., Björkbacka, H. & Hedblad, B., 2012, I: *Atherosclerosis*. 220, 2, s. 502-505

Soluble Urokinase Plasminogen Activator Receptor is Associated With Inflammation in the Vulnerable Human Atherosclerotic Plaque.

Edsfeldt, A., Nitulescu, M., Grufman, H., Grönberg, C., Persson, A., Nilsson, M. MN., Persson, M., Björkbacka, H. & Goncalves, I., 2012, I: *Stroke; a journal of cerebral circulation*. 43, 12, s. 3305-3312

Vildagliptin Reduces Glucagon during Hyperglycemia and Sustains Glucagon Counterregulation during Hypoglycemia in Type 1 Diabetes.

Fangren, J., Persson, M., Schweizer, A., Foley, J. E. & Ahrén, B., 2012, I: *The Journal of clinical endocrinology and metabolism*. 97, 10, s. 3799-3806

Food patterns, inflammation markers and incidence of cardiovascular disease: the Malmö Diet and Cancer study.

Hlebowicz, J., Persson, M., Gullberg, B., Sonestedt, E., Wallström, P., Drake, I., Nilsson, J., Hedblad, B. & Wirfält, E., 2011, I: *Journal of Internal Medicine*. 270, s. 365-376

The association between glucometabolic disturbances, traditional cardiovascular risk factors and self-rated health by age and gender: A cross-sectional analysis within the Malmo Preventive Project

Leosdottir, M., Willenheimer, R., Persson, M. & Nilsson, P., 2011, I: *Cardiovascular Diabetology*. 10, 118

Lipoprotein-associated phospholipase A₂ and risk of coronary disease, stroke, and mortality: Collaborative analysis of 32 prospective studies

Berglund, G., Persson, M. & The Lp-PLA Studies Collaboration, 2010 jan 1, I: *The Lancet*. 375, 9725, s. 1536-1544 9 s.

Novel and conventional biomarkers for prediction of incident cardiovascular events in the community.

Melander, O., Newton-Cheh, C., Almgren, P., Hedblad, B., Berglund, G., Engström, G., Persson, M., Smith, G., Magnusson, M., Christensson, A., Struck, J., Morgenthaler, N. G., Bergmann, A., Pencina, M. J. & Wang, T. J., 2009, I: *JAMA: The Journal of the American Medical Association*. 302, 1, s. 49-57

Vildagliptin Enhances Islet Responsiveness to Both Hyper- and Hypoglycemia in Patients with Type 2 Diabetes.

Ahrén, B., Schweizer, A., Dejager, S., Dunning, B. E., Nilsson, P., Persson, M. & Foley, J. E., 2009, I: *Journal of Clinical Endocrinology and Metabolism*. 94, s. 1236-1243

Lipoprotein-associated phospholipase A2 (Lp-PLA2) Impact and role as cardiovascular risk marker

Persson, M., 2008, Department of Clinical Sciences, Lund University. 136 s.

Lp-PLA(2) activity and mass are associated with increased incidence of ischemic stroke - A population-based cohort study from Malmo, Sweden

Persson, M., Berglund, G., Nelson, J. J. & Hedblad, B., 2008, I: *Atherosclerosis*. 200, 1, s. 191-198 8 s.

Vildagliptin improves alpha cell glucose sensing in patients with type 2 diabetes

Ahrén, B., Schweizer, A., Dejager, S., Dunning, B. E., Persson, M. & Foley, J. E., 2008, I: *Diabetologia*. 51, S1, s. S36-S37

Collaborative meta-analysis of individual participant data from observational studies of Lp-PLA2 and cardiovascular diseases

Ballantyne, C., Cushman, M., Psaty, B., Furberg, C., Khaw, K. T., Sandhu, M., Oldgren, J., Rossi, G. P., Maiolino, G., Cesari, M., Lenzini, L., James, S. K., Rimm, E., Collins, R., Anderson, J., Koenig, W., Brenner, H., Rothenbacher, D., Berglund, G., Persson, M. & 31 andra, Berger, P., Brilakis, E., McConnell, J. P., Sacco, R., Elkind, M., Talmud, P., Cannon, C. P., Packard, C., Barrett-Connor, E., Hofman, A., Kardys, I., Wittman, J. C., Criqui, M., Corsetti, J. P., Rainwater, D. L., Moss, A. J., Robins, S., Bloomfield, H., Collins, D., Wassertheil-Smoller, S., Ridker, P., Danesh, J., Gu, D., Nelson, J. J., Thompson, S., Zalewski, A., Zariffa, N., Di Angelantonio, E., Kaptoge, S., Thompson, A. & Lp-PLA2 Studies Collaboration, 2007 feb 1, I: *European Journal of Preventive Cardiology*. 14, 1, s. 3-11 9 s.

Elevated Lp-PLA2 Levels Add Prognostic Information to The Metabolic Syndrome on Incidence of Cardiovascular Events Among Middle-Aged Nondiabetic Subjects.

Persson, M., Hedblad, B., Nelson, J. J. & Berglund, G., 2007, I: Arteriosclerosis, Thrombosis and Vascular Biology. 27, Apr 12, s. 1411-1416

The epidemiology of Lp-PLA(2): Distribution and correlation with cardiovascular risk factors in a population-based cohort.

Persson, M., Nilsson, J-Å., Nelson, J. J., Hedblad, B. & Berglund, G., 2007, I: Atherosclerosis. 190, s. 388-396

Plasma Adiponectin Levels in Relation to Carotid Intima Media Thickness and Markers of Insulin Resistance.

Nilsson, P., Engström, G., Hedblad, B., Frystyk, J., Persson, M., Berglund, G. & Flyvbjerg, A., 2006, I: Arteriosclerosis, Thrombosis and Vascular Biology. 26, 12, s. 2758-2762

Consumption of oat milk for 5 weeks lowers serum cholesterol and LDL cholesterol in free-living men with moderate hypercholesterolemia

Önning, G., Wallmark, A., Persson, M., Åkesson, B., Elmståhl, S. & Öste, R., 1999, I: Annals of Nutrition and Metabolism. 43, 5, s. 301-309

Forskningsmedel