Rasmus Borgquist
Sektionschef, Docent
Arytmisektionen
Skånes Universitetssjukhus

Besöksadress:
Universitetssjukhuset
Lund
Sverige
Postadress:
22184
Lund
Sverige

E-post: rasmus.borgquist@med.lu.se
Telefon: +4646174281
Webbadress: http://www.med.lu.se/klinvetlund/kardiologi

Anställning

Sektionschef, Arytmisektionen, VO HLM, Division 3, Skånes Universitetssjukhus
Skåne University Hospital
Skåne, Sverige
2015 sep. 1 → present

Forskningsoutput

Longer Baseline Left Ventricular Activation Time Is Associated With Lower Mortality and Lower Risk of Heart Failure Hospitalization in Cardiac Resynchronization Therapy Recipients
Marinko, S., Platonov, P. G. & Borgquist, R., 2026 juli, I: Annals of Noninvasive Electrocardiology. 31, 4, e70210.

Increased fluid accumulation, reduced physical activity and heart rate variability during national holidays in patients with cardiac implantable electronic devices.
Olsson, A., Rylance, R., Borgquist, R., A.Mohammad, M., Erlinge, D. & Platonov, P., 2026, I: European Journal of Preventive Cardiology. 33, 2, s. 169-174

Age-Stratified Clinical Outcome in Patients with Known Heart Failure Who Receive Pacemaker, Resynchronization Therapy, or Defibrillator Implants
Rorsman, C., Farouq, M., Marinko, S., Platonov, P. G. & Borgquist, R., 2024, I: Cardiology (Switzerland). 149, 5, s. 474–483 10 s.

Association between Serum Cortisol Level and Erectile Function in Healthy Men from the General Population
REZANEZAD, B., Borgquist, R. & Elzanaty, S., 2024, I: Archive of Urological Research. 8, 2, s. 023-027

Marital Status and Serum Level of Testosterone: In Relation to Serum Level of Cortisol
Rezanezhad, B., Borgquist, R. & Elzanaty, S., 2024, I: Archive of Urological Research. 8, 2, s. 018-022

Risk factors and incidence of new-onset heart failure with conventional pacemakerimplant – a nationwide study
Farouq, M., Rorsman Schough, C., Marinko, S., Mortsell, D., Chaudhry, U., Wang, L., Platonov, P. & Borgquist, R., 2024, I: Heart Rhythm O2. 5, 9, s. 623-630

Prognostic utility and characterization of left ventricular hypertrophy using global thickness
Lundin, M., Heiberg, E., Nordlund, D., Gyllenhammar, T., Steding-Ehrenborg, K., Engblom, H., Carlsson, M., Atar, D., van der Pals, J., Erlinge, D., Borgquist, R., Khoshnood, A., Ekelund, U., Nickander, J., Themudo, R., Nordin, S., Kozor, R., Bhuva, A. N., Moon, J. C. & Maret, E. och 6 andra, Caidahl, K., Sigfridsson, A., Sörensson, P., Schelbert, E. B., Arheden, H. & Ugander, M., 2023 dec. 20, I: Scientific Reports. 13, 1, 22806.

Hemodynamic forces from 4D flow magnetic resonance imaging predict left ventricular remodeling following cardiac resynchronization therapy
Pola, K., Roijer, A., Borgquist, R., Ostenfeld, E., Carlsson, M., Bakos, Z., Arheden, H. & Arvidsson, P. M., 2023 dec., I: Journal of Cardiovascular Magnetic Resonance. 25, 45.

Maximizing QRS duration reduction in contemporary cardiac resynchronization therapy is feasible and shorter QRS duration is associated with better clinical outcome
Borgquist, R., Marinko, S., Platonov, P., Wang, L., Chaudhry, U., Brandt, J. & Mortsell, D., 2023 nov., I: Journal of Interventional Cardiac Electrophysiology. 66, 8, s. 1799–1806 8 s.

Sex-based differences in cardiac resynchronization therapy upgrade and outcome for patients with pacemaker and new-onset heart failure
Rorsman, C., Farouq, M., Marinko, S., Mortsell, D., Chaudhry, U., Wang, L. & Borgquist, R., 2023 okt. 10, I: PACE - Pacing and Clinical Electrophysiology. s. 1-9

Age-stratified comparison of prognosis in cardiac resynchronization therapy with or without prophylactic defibrillator for non-ischemic cardiomyopathy – a nationwide cohort study
Farouq, M., Rorsman, C., Marinko, S., Mörtsell, D., Chaudhry, U., Wang, L., Platonov, P. & Borgquist, R., 2023 juli 1, I: Europace. 25, 7, euad187.

Testosterone Level and Risk of Diabetes: Follow-Up Study
Rezanezhad, B., Borgquist, R. & Elzanaty, S., 2023 jan. 1, I: Medical Research Archives. 11, 9, 4473.

Association between left ventricular lead position and intrinsic QRS morphology with regard to clinical outcome in cardiac resynchronization therapy for heart failure
Brandtvig, T. O., Marinko, S., Farouq, M., Brandt, J., Mortsell, D., Wang, L., Chaudhry, U., Saba, S. & Borgquist, R., 2023 , I: Annals of Noninvasive Electrocardiology. 28, 4

Baseline QRS Area and Reduction in QRS Area Are Associated with Lower Mortality and Risk of Heart Failure Hospitalization after Cardiac Resynchronization Therapy
Marinko, S., Platonov, P. G., Carlson, J. & Borgquist, R., 2022 juli 1, I: Cardiology (Switzerland). 147, 3, s. 298-306 9 s.

Anatomy of the coronary sinus with regard to cardiac resynchronization therapy implantation
Borgquist, R. & Wang, L., 2022 juni 1, I: Herzschrittmachertherapie und Elektrophysiologie. 33, 2, s. 186-194

Diagnosis and treatment of the rare procedural complication of malpositioned pacing leads in the left heart: a single center experience
Borgquist, R., Farouq, M., Markstad, H., Brandt, J., Mortsell, D., Jensen, S., Chaudhry, U. & Wang, L., 2022, I: Scandinavian Cardiovascular Journal. 56, 1, s. 302-309

Efficacy of the antibacterial envelope to prevent cardiac implantable electronic device infection in a high-risk population
Chaudhry, U., Borgquist, R., Smith, J. G. & Mörtsell, D., 2022, I: Europace. 24, 12, s. 1973-1980

Pulmonary perfusion and NYHA classification improve after cardiac resynchronization therapy
Al-Mashat, M., Borgquist, R., Carlsson, M., Arheden, H. & Jögi, J., 2022, I: Journal of Nuclear Cardiology. 29, 6, s. 2974-2983

Repositioning and optimization of left ventricular lead position in non-responders to Cardiac Resynchronization Therapy is associated with improved ejection fraction, lower NT-ProBNP values and less heart failure symptoms
Borgquist, R., Mortsell, D., Chaudhry, U., Brandt, J., Farouq, M. & Wang, L., 2022, I: Heart Rhythm O2. 3, 5, s. 457-463

Successful percutaneous extraction of malpositioned pacemaker lead in the left ventricle after proper dabigatran treatment
Farouq, M., Borgquist, R., Brandt, J., Mörtsell, D. & Wang, L., 2022, I: PACE - Pacing and Clinical Electrophysiology. 45, 9 , s. 1101-1105 5 s.

Targeting the latest site of left ventricular mechanical activation is associated with improved long-term outcomes for recipients of cardiac resynchronization therapy
Borgquist, R., Barrington, W. R., Bakos, Z., Werther-Evaldsson, A. & Saba, S., 2022, I: Heart Rhythm O2. 3, 4 , s. 377-384

Testosterone and coronary flow reserve: A study on Swedish men from the general population
Rezanezhad, B., Wittfeldt, A., Borgquist, R. & Elzanaty, S., 2022, I: Clinical Research and Trials. 8, s. 1-4

Ventricular longitudinal function by cardiovascular magnetic resonance predicts cardiovascular morbidity in HFrEF patients
Berg, J., Åkesson, J., Jablonowski, R., Solem, K., Heiberg, E., Borgquist, R., Arheden, H. & Carlsson, M., 2022, I: ESC Heart Failure. 9, 4, s. 2313-2324

Regional contributions to left ventricular stroke volume determined by cardiac magnetic resonance imaging in cardiac resynchronization therapy
Östenson, B., Ostenfeld, E., Werther-Evaldsson, A., Roijer, A., Bakos, Z., Kanski, M., Heiberg, E., Arheden, H., Borgquist, R. & Carlsson, M., 2021 okt. 26, I: BMC Cardiovascular Disorders. 21, 1, 519.

Characteristics and outcomes in patients with atrial fibrillation and acute coronary syndrome treated with ticagrelor and novel oral anticoagulants
van der Pals, J., Holmqvist, F., Borgquist, R., Götberg, M., Nseir, M., Koul, S., Isma, N., Scherstén, F., Tydén, P., Braun, O. & Erlinge, D., 2021 maj, I: Thrombosis Update. 3, 5 s., 100054.

The CHA_2DS_2-VASc Score and Its Association with Long-Term Outcome in a Cardiac Resynchronization Therapy Population
Reitan, C., Platonov, P. G. & Borgquist, R., 2021, I: Cardiology. 146, 4, s. 453-463

Ventricular longitudinal shortening is an independent predictor of death in heart failure patients with reduced ejection fraction
Berg, J., Jablonowski, R., Mohammad, M., Solem, K., Borgquist, R., Ostenfeld, E., Arheden, H. & Carlsson, M., 2021, I: Scientific Reports. 11, 20280.

Vectorcardiography Findings Are Associated with Recurrent Ventricular Arrhythmias and Mortality in Patients with Heart Failure Treated with Implantable Cardioverter-Defibrillator Device
Chaudhry, U., Cortez, D., Platonov, P. G., Carlson, J. & Borgquist, R., 2020 dec., I: Cardiology. 145, 12, s. 784-794 11 s.

Cardiac Resynchronization Therapy Guided by Echocardiography, MRI, and CT Imaging: A Randomized Controlled Study
Borgquist, R., Carlsson, M., Markstad, H., Werther-Evaldsson, A., Ostenfeld, E., Roijer, A. & Bakos, Z., 2020 okt., I: JACC: Clinical Electrophysiology. 6, 10, s. 1300-1309 10 s.

Increased pulmonary blood volume variation in patients with heart failure compared to healthy controls; a non-invasive, quantitative measure of heart failure
Al-Mashat, M., Jögi, J., Carlsson, M., Borgquist, R., Ostenfeld, E., Magnusson, M., Bachus, E., Rådegran, G., Arheden, H. & Kanski, M., 2020 feb. 1, I: Journal of Applied Physiology. 128, 2, s. 324-337 14 s.

Association Between Testosterone Levels and Clinical Markers of Atherosclerosis
Rezanezhad Zanjani, B., Borgquist, R. & Elzanaty, S., 2020, I: Journal of Clinical and Medical Images. 4, 6

Interatrial Block Predicts Atrial Fibrillation and Total Mortality in Patients with Cardiac Resynchronization Therapy
Jacobsson, J., Carlson, J., Reitan, C., Borgquist, R. & Platonov, P. G., 2020, I: Cardiology. s. 720–729

Atrial fibrillation incidence and impact of biventricular pacing on long-term outcome in patients with heart failure treated with cardiac resynchronization therapy
Jacobsson, J., Reitan, C., Carlson, J., Borgquist, R. & Platonov, P. G., 2019 aug. 13, I: BMC Cardiovascular Disorders. 19 , 195.

Very long-term survival and late sudden cardiac death in cardiac resynchronization therapy patients
Barra, S., Duehmke, R., Providência, R., Narayanan, K., Reitan, C., Roubicek, T., Polasek, R., Chow, A., Defaye, P., Fauchier, L., Piot, O., Deharo, J.-C., Sadoul, N., Klug, D., Garcia, R., Dockrill, S., Virdee, M., Pettit, S., Agarwal, S. & Borgquist, R. och 2 andra, Marijon, E. & Boveda, S., 2019 juli 7, I: European Heart Journal. 40, 26, s. 2121-2127

Left axis deviation in patients with left bundle branch block is a marker of myocardial disease associated with poor response to cardiac resynchronization therapy
Storkås, H. S., Hansen, T. F., Tahri, J. B., Lauridsen, T. K., Olsen, F. J., Borgquist, R., Vinther, M., Lindhardt, T. B., Bruun, N. E., Søgaard, P. & Risum, N., 2019 apr. 1, I: Journal of Electrocardiology.

Två nya studier av kateterablation av förmaksflimmer - Kateterablation – mer än bara symtomlindring?
Holmqvist, F., Borgquist, R. & Ljungström, E., 2019 feb. 26, I: Läkartidningen. 116, 2 s.

Combination of a leadless pacemaker and subcutaneous defibrillator with nine effective shock treatments during follow-up of 18months
Ljungström, E., Brandt, J., Mörtsell, D., Borgquist, R. & Wang, L., 2019, I: Journal of Electrocardiology. 56, s. 1-3 3 s.

Heart filling exceeds emptying during late ventricular systole in patients with systolic heart failure and healthy subjects – a cardiac MRI study
Carlsson, M., Ugander, M., Kanski, M., Borgquist, R., Ekelund, U. & Arheden, H., 2019, I: Clinical Physiology and Functional Imaging. 39, 3, s. 192-200

Idiopathic ventricular fibrillation – Long term prognosis in relation to clinical findings and ECG patterns in a Swedish cohort
Chaudhry, U., Platonov, P. G., Rubulis, A., Bergfeldt, L., Jensen, S. M., Lundin, C. & Borgquist, R., 2019, I: Journal of Electrocardiology. 56, s. 46-51 6 s.

Kateterablation – mer än bara symtomlindring?
Holmqvist, F., Borgquist, R. & Ljungström, E., 2019, I: Läkartidningen. 116, 9-10, 406.

Left ventricular global wall thickness is easily calculated, detects and characterizes hypertrophy, and has prognostic utility
Lundin, M., Heiberg, E., Nordlund, D., Gyllenhammar, T., Steding Ehrenborg, K., Engblom, H., Carlsson, M., Atar, D., vanderPals, J., Erlinge, D., Borgquist, R., Khoshnood, A., Ekelund, U., Nickander, J., Themudo, R., Nordin, S., Kozor, R., Moon, J., Maret, E. & Caidahl, K. och 5 andra, Sigfridsson, A., Sörensson, P., Schelbert, E. B., Arheden, H. & Ugander, M. , 2019.

Mean wall thickness improves characterization and prognosis in left ventricular hypertrophy
Lundin, M., Heiberg, E., Nordlund, D., Gyllenhammar, T., Steding Ehrenborg, K., Engblom, H., Carlsson, M., Atar, D., vanderPals, J., Erlinge, D., Borgquist, R., Khoshnood, A., Ekelund, U., Nickander, J., Themudo, R., Nordin, S., Kozor, R., Moon, J., Maret, E. & Caidahl, K. och 5 andra, Sigfridsson, A., Sörensson, P., Schelbert, E. B., Arheden, H. & Ugander, M. , 2019.

Preoperative CT of cardiac veins for planning left ventricular lead placement in cardiac resynchronization therapy
Markstad, H., Bakos, Z., Ostenfeld, E., Geijer, M., Carlsson, M. & Borgquist, R., 2019, I: Acta Radiologica. 60, 7, s. 859-865

The Association between Serum Testosterone and Risk Factors for Atherosclerosis
Rezanezhad, B., Borgquist, R., Willenheimer, R. & Elzanaty, S., 2019, I: Current Urology. 13, 2, s. 101-106 6 s.

Hemodynamic forces using four-dimensional flow MRI: An independent biomarker of cardiac function in heart failure with left ventricular dyssynchrony?
Arvidsson, P. M., Töger, J., Pedrizzetti, G., Heiberg, E., Borgquist, R., Carlsson, M. & Arheden, H., 2018 dec., I: American Journal of Physiology - Heart and Circulatory Physiology. 315, 6, s. H1627-H1639

The ability of the electrocardiogram in left bundle branch block to detect myocardial scar determined by cardiovascular magnetic resonance
Wieslander, B., Xia, X., Jablonowski, R., Axelsson, J., Klem, I., Nijveldt, R., Maynard, C., Schelbert, E. B., Sörensson, P., Sigfridsson, A., Chaudhry, U., Platonov, P. G., Borgquist, R., Engblom, H., Couderc, J. P., Strauss, D. G., Atwater, B. D. & Ugander, M., 2018 sep. 1, I: Journal of Electrocardiology. 51, 5, s. 779-786 8 s.

Association between serum levels of testosterone and biomarkers of subclinical atherosclerosis
Rezanezhad, B., Borgquist, R., Willenheimer, R. & Elzanaty, S., 2018 juli 3, I: Aging Male. 21, 3, s. 182-186

One Size Doesn't Fit All: A Closer Look at the Effects of Multipoint Pacing in Cardiac Resynchronization Therapy
Borgquist, R., 2018 juli 1, I: JACC: Clinical Electrophysiology. 4, 7, s. 890-892 3 s.

Usefulness of a clinical risk score to predict the response to cardiac resynchronization therapy
Providencia, R., Marijon, E., Barra, S., Reitan, C., Breitenstein, A., Defaye, P., Papageorgiou, N., Duehmke, R., Winnik, S., Ang, R., Klug, D., Gras, D., Oezkartal, T., Segal, O. R., Deharo, J. C., Leclercq, C., Lambiase, P. D., Fauchier, L., Bordachar, P. & Steffel, J. och 7 andra, Sadoul, N., Piot, O., Borgquist, R., Agarwal, S., Chow, A., Boveda, S. & DAI-PP Investigators, 2018 juni 1, I: International Journal of Cardiology. 260, s. 82-87 6 s.

Prediction of clinical outcome in patients treated with cardiac resynchronization therapy - the role of NT-ProBNP and a combined response score
Bakos, Z., Chatterjee, N. C., Reitan, C., Singh, J. P. & Borgquist, R., 2018 apr. 24, I: BMC Cardiovascular Disorders. 18, 1 , 70.

A new simplified electrocardiographic score predicts clinical outcome in patients treated with CRT
Végh, E. M., Kandala, J., Januszkiewicz, L., Ren, J., Miller, A., Orencole, M., Blendea, D., Merkely, B., Gellér, L., Singh, J. P. & Borgquist, R., 2018 mars 1, I: Europace. 20, 3, s. 492-500

Semi-automated QRS score as a predictor of survival in CRT treated patients with strict left bundle branch block
Reitan, C., Chaudhry, U., Atwater, B., Jacobsson, J., Couderc, J. P., Xia, X., Carlson, J., Platonov, P. G. & Borgquist, R., 2018 mars, I: Journal of Electrocardiology. 51, 2, s. 282-287

Nya tekniker för att övervaka och behandla arytmi vid hjärtsjukdom: 60 är sedan första pacemakern – nu finns Även sviktpacemaker och interna defibrillatorer och hjärtövervakare
Bjurman, C., Juhlin, T., Ljungström, E. & Borgquist, R., 2018 jan. 1, I: Läkartidningen. 115, 19-20

Response by Jablonowski et al to Letter Regarding Article, "Cardiovascular Magnetic Resonance to Predict Appropriate Implantable Cardioverter Defibrillator Therapy in Ischemic and Nonischemic Cardiomyopathy Patients Using Late Gadolinium Enhancement Border Zone: Comparison of Four Analysis Methods"
Jablonowski, R., Chaudhry, U., van der Pals, J., Engblom, H., Arheden, H., Heiberg, E., Wu, K. C., Borgquist, R. & Carlsson, M., 2018 jan., I: Circulation. Cardiovascular imaging. 11, 1, e007333.

Ejection fraction in left bundle branch block is disproportionately reduced in relation to amount of myocardial scar
Axelsson, J., Wieslander, B., Jablonowski, R., Klem, I., Nijveldt, R., Schelbert, E. B., Sörensson, P., Sigfridsson, A., Chaudhry, U., Platonov, P. G., Borgquist, R., Engblom, H., Strauss, D. G., Arheden, H., Atwater, B. D. & Ugander, M., 2018, I: Journal of Electrocardiology. 51, 6, s. 1071-1076 6 s.

Cardiovascular magnetic resonance to predict appropriate implantable cardioverter defibrillator therapy in ischemic and nonischemic cardiomyopathy patients using late gadolinium enhancement border zone comparison of four analysis methods
Jablonowski, R., Chaudhry, U., Van Der Pals, J., Engblom, H., Arheden, H., Heiberg, E., Wu, K. C., Borgquist, R. & Carlsson, M., 2017 aug. 1, I: Circulation: Cardiovascular Imaging. 10, 9, e006105.

On estimating intraventricular hemodynamic forces from endocardial dynamics: A comparative study with 4D flow MRI
Pedrizzetti, G., Arvidsson, P. M., Töger, J., Borgquist, R., Domenichini, F., Arheden, H. & Heiberg, E., 2017 juli 26, I: Journal of Biomechanics. 60, s. 203-210 8 s.

Adding Defibrillation Therapy to Cardiac Resynchronization on the Basis of the Myocardial Substrate
Barra, S., Boveda, S., Providência, R., Sadoul, N., Duehmke, R., Reitan, C., Borgquist, R., Narayanan, K., Hidden-Lucet, F., Klug, D., Defaye, P., Gras, D., Anselme, F., Leclercq, C., Hermida, J.-S., Deharo, J. C., Looi, K. L., Chow, A. W., Virdee, M. & Fynn, S. och 4 andra, Le Heuzey, J.-Y., Marijon, E., Agarwal, S. & French-UK-Sweden CRT Network, 2017 apr. 4, I: Journal of the American College of Cardiology. 69, 13, s. 1669-1678 10 s.

Coronary Sinus Lead Positioning
Roka, A., Borgquist, R. & Singh, J., 2017 jan., I: Heart Failure Clinics. 13, 1, s. 79-91 13 s.

A simplified left ventricular end-diastolic mean wall thickness-to-volume ratio estimated from left ventricular mass and end-diastolic volume distinguishes physiological from pathological hypertrophy
Lundin, M., Heiberg, E., Nordlund, D., Gyllenhammar, T., Steding Ehrenborg, K., Engblom, H., Carlsson, M., Atar, D., vanderPals, J., Erlinge, D., Borgquist, R., Khoshnood, A., Ekelund, U., Nickander, J., Themudo, R., Sörensson, P., Arheden, H. & Ugander, M., 2017.

Atrial high rate episodes predict clinical outcome in patients with cardiac resynchronization therapy
Jacobsson, J., Platonov, P. G., Reitan, C., Carlsson, J. & Borgquist, R., 2017, I: Scandinavian cardiovascular journal : SCJ. 51, 2, s. 74-81 8 s.

Cardiovascular drug utilization post-implant is related to clinical outcome in heart failure patients receiving cardiac resynchronization therapy
Bakos, Z., Reitan, C., Werther-Evaldsson, A., Roijer, A., PLatonov, P. & Borgquist, R., 2017, I: Cardiology Journal. 24, 4, s. 374-384

Clinical risk profile score predicts all cause mortality but not implantable cardioverter defibrillator intervention rate in a large unselected cohort of patients with congestive heart failure
Sjöblom, J., Borgquist, R., Gadler, F., Kalm, T., Ljung, L., Rosenqvist, M., Frykman, V. & Platonov, P. G., 2017, I: Annals of Noninvasive Electrocardiology. 22, 3, e12414.

Comparison of patients with early-phase arrhythmogenic right ventricular cardiomyopathy and right ventricular outflow tract ventricular tachycardia.
Saberniak, J., Leren, I. S., Haland, T. F., Beitnes, J. O., Hopp, E., Borgquist, R., Edvardsen, T. & Haugaa, K. H., 2017, I: European Heart Journal-Cardiovascular Imaging. 18, 1, s. 62-69

Evaluation of the ECG based Selvester scoring method to estimate myocardial scar burden and predict clinical outcome in patients with left bundle branch block, with comparison to late gadolinium enhancement CMR imaging
Chaudhry, U., Platonov, P., Jablonowski, R., Couderc, J.-P., Engblom, H., Xia, X., Wieslander, B., Atwater, B. D., Strauss, D. G., Van der Pals, J., Ugander, M., Carlsson, M. & Borgquist, R., 2017, I: Annals of Noninvasive Electrocardiology. 22, 5 , e12440.

Increasing sex differences in the use of cardiac resynchronization therapy with or without implantable cardioverter-defibrillator
Chatterjee, N. A., Borgquist, R., Chang, Y., Lewey, J., Jackson, V. A., Singh, J. P., Metlay, J. P. & Lindvall, C., 2017, I: European Heart Journal. 38, 19, s. 1485-1494

Long-term outcomes of the current remote magnetic catheter navigation technique for ablation of atrial fibrillation
Yuan, S., Holmqvist, F., Kongstad Rasmussen, O., Jensen, S. M., Wang, L., Ljungström, E., Hertervig, E. & Borgquist, R., 2017, I: Scandinavian Cardiovascular Journal. 51, 6, s. 308-315

Sex-specific outcomes with addition of defibrillation to resynchronisation therapy in patients with heart failure
Barra, S., Providência, R., Duehmke, R., Boveda, S., Marijon, E., Reitan, C., Borgquist, R., Klug, D., Defaye, P., Sadoul, N., Deharo, J. C., Sadien, I., Patel, K., Looi, K. L., Begley, D., Chow, A. W., Heuzey, J. Y. L. & Agarwal, S., 2017, I: Heart. 103, 10, s. 753-760

Association between Erectile Function and Biomarkers of Subclinical Atherosclerosis: A Study Based on Middle-Aged Healthy Men from the General Population
Elzanaty, S., REZANEZHAD ZANJANI, B., Willenheimer, R. & Borgquist, R., 2016 okt. 1, I: Current Urology. 9, 3, s. 119-123

Association between PSA Levels and Biomarkers of Subclinical Systemic Inflammation in Middle-Aged Healthy Men from the General Population
Elzanaty, S., REZANEZHAD ZANJANI, B. & Borgquist, R., 2016 okt. 1, I: Current Urology. 9, 3, s. 148-152 5 s.

Usefulness of the Sum Absolute QRST Integral to Predict Outcomes in Patients Receiving Cardiac Resynchronization Therapy
Jacobsson, J., Borgquist, R., Reitan, C., Ghafoori, E., Chatterjee, N. A., Kabir, M., Platonov, P. G., Carlson, J., Singh, J. P. & Tereshchenko, L. G., 2016 aug., I: American Journal of Cardiology. 118, 6, s. 389-395

Reply to the Editor - Prognostic Implication of Baseline PR Interval in Patients Undergoing Cardiac Resynchronization Therapy
Januszkiewicz, Ł., Vegh, E., Borgquist, R., Bose, A., Sharma, A., Orencole, M., Mela, T., Singh, J. P. & Parks, K. A., 2016 juli, I: Heart Rhythm. 13, 7, s. 1573-4 2 s.

Positive Response to Cardiac Resynchronization Therapy: The Role of NT-proBNP
BAKOS, Z., REITAN, C., CHAUDHRY, U., WERTHER EVALDSSON, A., Roijer, A., Wang, L., Platonov, P. & Borgquist, R. , 2016 mars 25, I: International journal of cardiovascular research. 5, 2

Leadless Medtronic Micra pacemaker almost completely endothelialized already after 4 months: first clinical experience from an explanted heart
Borgquist, R., Ljungström, E., Koul, B. & Höijer, C.-J., 2016, I: European Heart Journal. 39, 4, s. 287-300

The shape of the healthy heart is optimized for vortex ring formation
Arvidsson, P. M., Kovács, S. J., Töger, J., Borgquist, R., Heiberg, E., Carlsson, M. & Arheden, H., 2016, I: Journal of Cardiovascular Magnetic Resonance. 18, s. 1-2 2 s., O23.

Vortex ring behavior provides the epigenetic blueprint for the human heart.
Arvidsson, P., Kovács, S. J., Töger, J., Borgquist, R., Heiberg, E., Carlsson, M. & Arheden, H., 2016, I: Scientific Reports. 6, 22021.

Vortex-ring mixing as a measure of diastolic function of the human heart: Phantom validation and initial observations in healthy volunteers and patients with heart failure.
Töger, J., Kanski, M., Arvidsson, P., Carlsson, M., Kovács, S. J., Borgquist, R., Revstedt, J., Söderlind, G., Arheden, H. & Heiberg, E., 2016, I: Journal of Magnetic Resonance Imaging. 43, 6, s. 1386-1397

Coronary Sinus Lead Positioning
Roka, A., Borgquist, R. & Singh, J., 2015 dec., I: Cardiac Electrophysiology Clinics. 7, 4, s. 635-47 13 s.

Prognostic implication of baseline PR interval in cardiac resynchronization therapy recipients
Januszkiewicz, Ł., Vegh, E., Borgquist, R., Bose, A., Sharma, A., Orencole, M., Mela, T., Singh, J. P. & Parks, K. A., 2015 nov., I: Heart Rhythm. 12, 11, s. 2256-62 7 s.

An electrophysiologist perspective on risk stratification in heart failure: can better understanding of the condition of the cardiac sympathetic nervous system help?
Borgquist, R. & Singh, J. P., 2015, I: Journal of Nuclear Medicine. 56, Suppl 4, s. 59S-64S

Anemia and its association with clinical outcome in heart failure patients undergoing cardiac resynchronization therapy.
Venkateswaran, R. V., Freeman, C., Chatterjee, N., Kandala, J., Orencole, M., Vegh, E. M., Parks, K. A., Cowburn, P. J., Dec, G. W., Singh, J. P. & Borgquist, R., 2015, I: Journal of Interventional Cardiac Electrophysiology. 44, 3, s. 297-304

Efficacy of primary preventive ICD therapy in an unselected population of patients with reduced left ventricular ejection fraction.
Sjöblom, J., Kalm, T., Gadler, F., Ljung, L., Frykman, V., Rosenqvist, M., Platonov, P. & Borgquist, R., 2015, I: Europace. 17, 2, s. 255-261

Left ventricular fluid kinetic energy time curves in heart failure from cardiovascular magnetic resonance 4D flow data.
Kanski, M., Arvidsson, P., Töger, J., Borgquist, R., Heiberg, E., Carlsson, M. & Arheden, H., 2015, I: Journal of Cardiovascular Magnetic Resonance. 17, 1, 111.

Long-term Results of Cardiac Resynchronization Therapy; A Comparison Between CRT-Pacemakers Versus Primary Prophylactic CRT-Defibrillators.
Reitan, C., Chaudhry, U., Bakos, Z., Brandt, J., Wang, L., Platonov, P. & Borgquist, R., 2015, I: PACE. 38, 6, s. 758-767

Renal Response in Patients with Chronic Kidney Disease Predicts Outcome Following Cardiac Resynchronization Therapy.
Singal, G., Upadhyay, G. A., Borgquist, R., Friedman, D. J., Chatterjee, N. A., Kandala, J., Park, M. Y., Orencole, M., Dec, G. W., Picard, M. H., Singh, J. P. & Mela, T., 2015, I: PACE. 38, 10, s. 1192-1200

Selvester scoring in patients with strict LBBB using the QUARESS software.
Xia, X., Chaudhry, U., Wieslander, B., Borgquist, R., Wagner, G. S., Strauss, D. G., Platonov, P., Ugander, M. & Couderc, J.-P., 2015, I: Journal of Electrocardiology. 48, 5, s. 763-768

Ventricular high-rate episodes predict increased mortality in heart failure patients treated with cardiac resynchronization therapy.
Jacobsson, J., Reitan, C., Platonov, P. & Borgquist, R., 2015, I: Scandinavian Cardiovascular Journal. 49, 1, s. 20-26

A comparison between radial strain evaluation by speckle-tracking echocardiography and cardiac magnetic resonance imaging, for assessment of suitable segments for left ventricular lead placement in cardiac resynchronization therapy.
Bakos, Z., Ostenfeld, E., Markstad, H., Werther Evaldsson, A., Roijer, A., Arheden, H., Carlsson, M. & Borgquist, R., 2014 , I: Europace. 16, 12, s. 1779-1786

Combined preoperative information using a bullseye plot from speckle tracking echocardiography, cardiac CT scan, and MRI scan: targeted left ventricular lead implantation in patients receiving cardiac resynchronization therapy.
Bakos, Z., Markstad, H., Ostenfeld, E., Carlsson, M., Roijer, A. & Borgquist, R., 2014, I: European Heart Journal-Cardiovascular Imaging. 15, 5, s. 523-531

Coronary sinus cannulation with a steerable catheter during biventricular device implantation.
Wang, L., Yuan, S., Borgquist, R., Höijer, C. J. & Brandt, J., 2014, I: Scandinavian Cardiovascular Journal. 48, 1, s. 41-46

Patient-assessed short-term positive response to cardiac resynchronization therapy is an independent predictor of long-term mortality.
Reitan, C., Bakos, Z., Platonov, P., Höijer, C. J., Brandt, J., Wang, L. & Borgquist, R., 2014, I: Europace. 16, 11, s. 1603-1609

The diagnostic performance of imaging methods in ARVC using the 2010 Task Force criteria.
Borgquist, R., Haugaa, K. H., Gilljam, T., Bundgaard, H., Hansen, J., Eschen, O., Jensen, H. K., Holst, A. G., Edvardsen, T., Svendsen, J. H. & Platonov, P., 2014, I: European Heart Journal-Cardiovascular Imaging. 15, 11, s. 1219-1225

Vigorous physical activity impairs myocardial function in patients with arrhythmogenic right ventricular cardiomyopathy and in mutation positive family members
Saberniak, J., Hasselberg, N. E., Borgquist, R., Platonov, P., Sarvari, S. I., Smith, H.-J., Ribe, M., Holst, A. G., Edvardsen, T. & Haugaa, K. H., 2014, I: European Journal of Heart Failure. 16, 12, s. 1337-1344

Investigation of a novel algorithm for synchronized left-ventricular pacing and ambulatory optimization of cardiac resynchronization therapy: results of the adaptive CRT trial
Martin, D. O., Lemke, B., Birnie, D., Krum, H., Lee, K.L.-F., Aonuma, K., Gasparini, M., Starling, R. C., Milasinovic, G., Rogers, T., Sambelashvili, A., Gorcsan, J., Houmsse, M. & Adaptive CRT Study Investigators, 2012 nov., I: Heart Rhythm. 9, 11, s. 1807-14 8 s.

Myocardial structure and function by echocardiography in relation to glucometabolic status in elderly subjects from 2 population-based cohorts: a cross-sectional study
Leosdottir, M., Willenheimer, R., Plehn, J., Borgquist, R., Gudmundsson, P., Harris, T. B., Launer, L. J., Bjornsdottir, H., Nilsson, P. M. & Gudnason, V., 2010 mars, I: American Heart Journal. 159, 3, s. 414-420.e4

Gender differences in the association between NT proBNP and glucometabolic disturbances in a population-based cohort
Leosdottir, M., Willenheimer, R., Hall, C., Tjora, S., Malm, J., Melander, O., Borgquist, R. & Nilsson, P., 2009, I: Cardiology. 113, Suppl 1, s. 48-48

Self-rated health and classical risk factors for coronary heart disease predict development of erectile dysfunction 25 years later.
Borgquist, R., Leosdottir, M., Nilsson, P. & Willenheimer, R., 2008, I: International Journal of Clinical Practice. 62, 2, s. 206-213

Coronary flow velocity reserve reduction is comparable in patients with erectile dysfunction and in patients with impaired fasting glucose or well-regulated diabetes mellitus
Borgquist, R., Nilsson, P., Gudmundsson, P., Winter, R., Leosdottir, M. & Willenheimer, R., 2007, I: European Journal of Cardiovascular Prevention & Rehabilitation. 14, 2, s. 258-264

Coronary Heart Disease and Erectile Dysfunction
Borgquist, R., 2007, Institutionen för kliniska vetenskaper, Lunds universitet. 114 s.

Erectile dysfunction in healthy subjects predicts reduced coronary flow velocity reserve.
Borgquist, R., Gudmundsson, P., Winter, R., Nilsson, P. & Willenheimer, R., 2006, I: International Journal of Cardiology. 112, 2, s. 166-170